

REMARKS

Claims 1, 3, 5, 6, 8-10, 12, 13, 15, 17, 19-21, 23, 24, 26, 29, 31-33, and 35 are pending. Claims 1, 3, 12, 13, 15, 23, 24, 26, and 35 have been amended. Claims 4, 16, 27, and 28 have been cancelled. Claims 2, 7, 11, 14, 18, 22, 25, 30, and 34 have been previously cancelled. No new matter has been introduced. Reexamination and reconsideration of the application are respectfully requested.

In the April 11, 2007 Office Action, the Examiner rejected claims 1, 3-6, 8-10, 12, 13, 15-17, 19-21, 23, 24, 26-29, 31-33, and 35 under 35 U.S.C. §103 (a) as being obvious over Shaw, U.S. Patent No. 5,779,679 (hereinafter the Shaw I reference), in view of Shaw, U.S. Patent No. 6,210,371 (hereinafter the Shaw II reference). This rejection is respectfully traversed.

Independent claim 1, as amended, recites:

A winged safety needle assembly, comprising:

a hub having a distal end, a proximal end, and an axial through hole, said hub further supporting a pair of flexible extension arms, **said pair of flexible extension arms each having a shoulder that extends from said hub at approximately a center of said hub, said pair of flexible extension arms extending toward the distal end of the hub;**

a cannula joined to said hub adjacent the distal end of said hub, said cannula having a beveled edge at a distal end thereof;

a cylindrical sheath having a locking tab attached to an outer surface thereof by a hinge, said locking tab being rotateable over at least a 180 degree arc, said cylindrical sheath retaining said hub therein and having a distal end and a proximal end, said hub being slidable along an inner surface of said cylindrical sheath from a first position at

which the distal end of said cannula joined to said hub projects beyond the distal end of said cylindrical sheath by a predetermined length, to a second position at which said distal end of the cannula is protectively contained within said cylindrical sheath;

a pair of flexible wings provided on the outer peripheral surface adjacent the distal end of said cylindrical sheath; and

a first locking mechanism and a second locking mechanism disposed on said assembly, said first locking mechanism releasably locking said hub and said cylindrical sheath at the first position, and said second locking mechanism unreleasably locking said hub and said cylindrical sheath at the second position, wherein said first locking mechanism comprises said pair of flexible extension arms supported by said hub and a groove formed on the inner surface of the distal end of said cylindrical sheath, and when said hub is at the first position in relation to said cylindrical sheath a pair of tips of said pair of flexible extension arms releasably engages the groove, and wherein said **locking tab includes a projection that is inserted through a slot in the cylindrical sheath to releasably engage the shoulders of the pair of flexible extension arms.**

The Examiner rejected claims 1, 3-6, 8-10, 12, 13, 15-17, 19-21, 23, 24, 26-29, 31-33, and 35 under 35 U.S.C. §103 (a) as being obvious over the Shaw I reference, in view of the Shaw II reference.

The Shaw I reference and the Shaw II reference do not disclose, teach, or suggest the winged safety needle assembly specified in independent claim 1, as amended. Unlike the winged safety needle assembly specified in independent claim 1 as amended, the Shaw I reference and the Shaw II reference do not show "said pair of flexible extension arms each having a shoulder that extends from said hub at approximately a center of said hub, said pair of flexible extension arms extending

toward the distal end of the hub” and “said locking tab includes a projection that is inserted through a slot in the cylindrical sheath to releasably engage the shoulders of the pair of flexible extension arms”.

Accordingly, Applicants respectfully submit that independent claim 1, as amended, distinguishes over the above-cited references. Claims 3, 6, 8-10, and 12 all depend directly or indirectly from independent claim 1, as amended. Therefore, Applicants respectfully submit that claims 3, 6, 8-10, and 12 distinguish over the above-cited references for the same reasons as set forth above with respect to independent claim 1, as amended.

Independent claims 13 and 24, as amended, recite limitations similar to independent claim 1, as amended. Specifically, independent claims 13 and 24, as amended, recite “said pair of flexible extension arms each having a shoulder that extends from said hub at approximately a center of said hub, said pair of flexible extension arms extending toward the distal end of the hub” and “said locking tab includes a projection that is inserted through a slot in the cylindrical sheath to releasably engage the shoulders of the pair of flexible extension arms”. Accordingly, amended independent claims 13 and 24 also distinguish over the above-cited references for the same reasons as set forth above with respect to independent claim 1, as amended.

In addition, independent claim 13, as amended, recites that “said cannula joined to said hub is rotateable relative to said cylindrical sheath at said first position”.

The Shaw I reference and the Shaw II reference do not disclose, teach, or suggest the winged safety needle assembly specified in independent claim 13, as amended. The Shaw I reference and the Shaw II reference do not show that “said

cannula joined to said hub is rotateable relative to said cylindrical sheath at said first position”.

The Shaw I reference states that “there are no rotating parts”. (Col. 3, line 36). Figure 4 of the Shaw I reference shows the needle holder 14 with opposing arms 38. In Figure 3B, needle end 34 of the needle holder 14 has structures 33 which are used to hold glue to attach needle 16 (Col. 6, line 60). Figure 5 of the Shaw I reference shows the device body 12. When the needle holder 14 with the attached needle 16 is contained within the device body 12, the needle holder 14 with the attached needle 16 cannot rotate relative to the device body 12.

The Shaw II reference states that “the housing and retraction body are slidingly moveable, but equipped with cooperating surfaces which maintain the orientation of the retraction body relative to the housing. This **prevents** the retraction body and the needle fixed therein **from rotating relative to the housing**. Preferred cooperating surfaces are a flat surface in the floor of the housing and a corresponding flat surface on the retraction body that slides along the flat surface of the in housing. Cooperating surfaces other than at the bottom of the retraction body and the housing are contemplated to maintain angular orientation of the retraction body relative to the housing.” (Col. 3, lines 6-17)

Accordingly, amended independent claim 13 distinguishes over the above-cited references. Claims 15, 17, 19-21, and 23 all depend, directly or indirectly, from amended independent claim 13. Accordingly, Applicants respectfully submit that claims 15, 17, 19-21, and 23 distinguish over the above-cited references for the same reasons as set forth above with respect to independent claim 13, as amended.

Independent claim 24, as amended, recites that "said cannula joined to said conical shaped head is rotateable relative to said cylindrical sheath at said first position".

Accordingly, amended independent claim 24 distinguishes over the above-cited references. Claims 26, 29, 31-33, and 35 all depend, directly or indirectly, from amended independent claim 24. Accordingly, Applicants respectfully submit that claims 26, 29, 31-33, and 35 distinguish over the above-cited references for the same reasons as set forth above with respect to independent claim 24, as amended.


Applicants believe that the foregoing amendment and remarks place the application in condition for allowance, and a favorable action is respectfully requested. If for any reason the Examiner finds the application other than in condition for allowance, the Examiner is requested to call the undersigned attorney at the Los Angeles telephone number (213) 488-7100 to discuss the steps necessary for placing the application in condition for allowance should the examiner believe that such a telephone conference would advance prosecution of the application.

Respectfully submitted,

PILLSBURY WINTHROP SHAW PITTMAN LLP

Date: July 11, 2007

By: _____



Keyvan Davoudian
Registration No. 47,520
Attorney for Applicant(s)

725 South Figueroa Street, Suite 2800
Los Angeles, CA 90017-5406
Telephone: (213) 488-7100
Facsimile: (213) 629-1033